

lightdm.log

```
[+12493.09s] DEBUG: Got signal 15 from process 1
[+12493.09s] DEBUG: Caught Terminated signal, shutting down
[+12493.09s] DEBUG: Stopping display manager
[+12493.09s] DEBUG: Seat seat0: Stopping
[+12493.09s] DEBUG: Seat seat0: Stopping display server
[+12493.09s] DEBUG: Sending signal 15 to process 949
[+12493.09s] DEBUG: Seat seat0: Stopping session
[+12493.09s] DEBUG: Session pid=1288: Sending SIGTERM
[+12493.13s] DEBUG: Session pid=1288: Terminated with signal 1
[+12493.13s] DEBUG: Seat seat0: Session stopped
[+12493.54s] DEBUG: Process 949 exited with return value 0
[+12493.54s] DEBUG: DisplayServer x-0: X server stopped
[+12493.54s] DEBUG: Releasing VT 7
[+12493.54s] DEBUG: DisplayServer x-0: Removing X server authority
/var/run/lightdm/root/:0
[+12493.54s] DEBUG: Seat seat0: Display server stopped
[+12493.54s] DEBUG: Seat seat0: Stopped
[+12493.54s] DEBUG: Display manager stopped
[+12493.54s] DEBUG: Stopping daemon
[+12493.54s] DEBUG: Exiting with return value 0
[+0.04s] DEBUG: Logging to /var/log/lightdm/lightdm.log
[+0.07s] DEBUG: Starting Light Display Manager 1.18.1, UID=0 PID=844
[+0.07s] DEBUG: Loading configuration dirs from
/usr/share/lightdm/lightdm.conf.d
[+0.07s] DEBUG: Loading configuration from
/usr/share/lightdm/lightdm.conf.d/50-disable-log-backup.conf
[+0.07s] DEBUG: Loading configuration from
/usr/share/lightdm/lightdm.conf.d/50-greeter-wrapper.conf
[+0.07s] DEBUG: Loading configuration from
/usr/share/lightdm/lightdm.conf.d/50-guest-wrapper.conf
[+0.07s] DEBUG: Loading configuration from
/usr/share/lightdm/lightdm.conf.d/50-ubuntu.conf
[+0.07s] DEBUG: Loading configuration from
/usr/share/lightdm/lightdm.conf.d/50-unity-greeter.conf
[+0.07s] DEBUG: Loading configuration from
/usr/share/lightdm/lightdm.conf.d/50-xserver-command.conf
[+0.07s] DEBUG: Loading configuration from
/usr/share/lightdm/lightdm.conf.d/95-kylin-greeter.conf
[+0.07s] DEBUG: Loading configuration dirs from
/usr/local/share/lightdm/lightdm.conf.d
[+0.07s] DEBUG: Loading configuration dirs from /etc/xdg/lightdm/lightdm.conf.d
[+0.07s] DEBUG: Loading configuration from /etc/lightdm/lightdm.conf
[+0.07s] DEBUG: Using D-Bus name org.freedesktop.DisplayManager
[+0.07s] DEBUG: Registered seat module xlocal
[+0.07s] DEBUG: Registered seat module xremote
[+0.07s] DEBUG: Registered seat module unity
[+0.07s] DEBUG: Monitoring logind for seats
[+0.07s] DEBUG: New seat added from logind: seat0
[+0.07s] DEBUG: Seat seat0: Loading properties from config section Seat:*
[+0.07s] DEBUG: Seat seat0: Starting
[+0.07s] DEBUG: Seat seat0: Creating greeter session
[+0.26s] DEBUG: Seat seat0: Creating display server of type x
[+3.71s] DEBUG: Seat seat0: Plymouth is running on VT 1, but this is less than
the configured minimum of 7 so not replacing it
[+3.71s] DEBUG: Quitting Plymouth
[+4.19s] DEBUG: Using VT 7
```

lightdm.log

```
[+4.19s] DEBUG: Seat seat0: Starting local X display on VT 7
[+4.19s] DEBUG: DisplayServer x-0: Logging to /var/log/lightdm/x-0.log
[+4.19s] DEBUG: DisplayServer x-0: Writing X server authority to
/var/run/lightdm/root/:0
[+4.19s] DEBUG: DisplayServer x-0: Launching X Server
[+4.19s] DEBUG: Launching process 983: /usr/bin/X -core :0 -seat seat0 -auth
/var/run/lightdm/root/:0 -nolisten tcp vt7 -novtswitch
[+4.19s] DEBUG: DisplayServer x-0: Waiting for ready signal from X server :0
[+4.19s] DEBUG: Acquired bus name org.freedesktop.DisplayManager
[+4.19s] DEBUG: Registering seat with bus path
/org/freedesktop/DisplayManager/Seat0
[+4.34s] DEBUG: Loading users from org.freedesktop.Accounts
[+4.34s] DEBUG: User /org/freedesktop/Accounts/User1000 added
[+6.08s] DEBUG: Got signal 10 from process 983
[+6.08s] DEBUG: DisplayServer x-0: Got signal from X server :0
[+6.08s] DEBUG: DisplayServer x-0: Connecting to XServer :0
[+6.08s] DEBUG: Seat seat0: Display server ready, starting session
authentication
[+6.08s] DEBUG: Session pid=1178: Started with service 'lightdm-greeter',
username 'lightdm'
[+6.39s] DEBUG: Session pid=1178: Authentication complete with return value 0:
Success
[+6.39s] DEBUG: Seat seat0: Session authenticated, running command
[+6.39s] DEBUG: Session pid=1178: Running command
/usr/lib/lightdm/lightdm-greeter-session /usr/sbin/kylin-greeter
[+6.39s] DEBUG: Creating shared data directory /var/lib/lightdm-data/lightdm
[+6.39s] DEBUG: Session pid=1178: Logging to /var/log/lightdm/x-0-greeter.log
[+6.76s] DEBUG: Activating VT 7
[+6.76s] DEBUG: Activating login1 session c1
[+6.77s] DEBUG: Seat seat0 changes active session to c1
[+6.77s] DEBUG: Session c1 is already active
[+8.42s] DEBUG: Session pid=1178: Greeter connected version=1.18.1
resettable=false
[+9.74s] DEBUG: Session pid=1178: Greeter start authentication for chenzhuup
[+9.74s] DEBUG: Session pid=1235: Started with service 'lightdm', username
'chenzhuup'
[+9.94s] DEBUG: Session pid=1235: Got 1 message(s) from PAM
[+9.94s] DEBUG: Session pid=1178: Prompt greeter with 1 message(s)
[+1368.81s] DEBUG: Session pid=1178: Continue authentication
[+1368.84s] DEBUG: Session pid=1235: Authentication complete with return value
0: Success
[+1368.84s] DEBUG: Session pid=1178: Authenticate result for user chenzhuup:
Success
[+1368.84s] DEBUG: Session pid=1178: User chenzhuup authorized
[+1368.84s] DEBUG: Session pid=1178: Greeter requests session ubuntu
[+1368.84s] DEBUG: Seat seat0: Stopping greeter; display server will be re-used
for user session
[+1368.84s] DEBUG: Session pid=1178: Sending SIGTERM
[+1368.85s] DEBUG: Session pid=1178: Exited with return value 0
[+1368.85s] DEBUG: Seat seat0: Session stopped
[+1368.85s] DEBUG: Seat seat0: Greeter stopped, running session
[+1368.85s] DEBUG: Registering session with bus path
/org/freedesktop/DisplayManager/Session0
[+1368.85s] DEBUG: Session pid=1235: Running command /usr/sbin/lightdm-session
gnome-session --session=ubuntu
[+1368.85s] DEBUG: Creating shared data directory
```

lightdm.log

/var/lib/lightdm-data/chenzhuup

```
[+1368.85s] DEBUG: Session pid=1235: Logging to .xsession-errors
[+1368.91s] DEBUG: Activating VT 7
[+1368.91s] DEBUG: Activating login1 session c2
[+1368.91s] DEBUG: Seat seat0 changes active session to c2
[+1368.91s] DEBUG: Session c2 is already active
[+2335.18s] DEBUG: Session pid=1235: Terminated with signal 1
[+2335.18s] DEBUG: Seat seat0: Session stopped
[+2335.18s] DEBUG: Seat seat0: Stopping display server, no sessions require it
[+2335.18s] DEBUG: Sending signal 15 to process 983
[+2335.27s] DEBUG: Got signal 15 from process 1
[+2335.27s] DEBUG: Caught Terminated signal, shutting down
[+2335.27s] DEBUG: Stopping display manager
[+2335.27s] DEBUG: Seat seat0: Stopping
[+2335.49s] DEBUG: Process 983 exited with return value 0
[+2335.49s] DEBUG: DisplayServer x-0: X server stopped
[+2335.49s] DEBUG: Releasing VT 7
[+2335.49s] DEBUG: DisplayServer x-0: Removing X server authority
```

/var/run/lightdm/root/:0

```
[+2335.49s] DEBUG: Seat seat0: Display server stopped
[+2335.49s] DEBUG: Seat seat0: Stopped
[+2335.49s] DEBUG: Display manager stopped
[+2335.49s] DEBUG: Stopping daemon
[+2335.49s] DEBUG: Exiting with return value 0
[+0.08s] DEBUG: Logging to /var/log/lightdm/lightdm.log
[+0.12s] DEBUG: Starting Light Display Manager 1.18.1, UID=0 PID=838
[+0.12s] DEBUG: Loading configuration dirs from
/usr/share/lightdm/lightdm.conf.d
[+0.12s] DEBUG: Loading configuration from
/usr/share/lightdm/lightdm.conf.d/50-disable-log-backup.conf
[+0.12s] DEBUG: Loading configuration from
/usr/share/lightdm/lightdm.conf.d/50-greeter-wrapper.conf
[+0.12s] DEBUG: Loading configuration from
/usr/share/lightdm/lightdm.conf.d/50-guest-wrapper.conf
[+0.12s] DEBUG: Loading configuration from
/usr/share/lightdm/lightdm.conf.d/50-ubuntu.conf
[+0.12s] DEBUG: Loading configuration from
/usr/share/lightdm/lightdm.conf.d/50-unity-greeter.conf
[+0.12s] DEBUG: Loading configuration from
/usr/share/lightdm/lightdm.conf.d/50-xserver-command.conf
[+0.12s] DEBUG: Loading configuration from
/usr/share/lightdm/lightdm.conf.d/60-lightdm-gtk-greeter.conf
[+0.12s] DEBUG: Loading configuration from
/usr/share/lightdm/lightdm.conf.d/95-kylin-greeter.conf
[+0.12s] DEBUG: Loading configuration dirs from
/usr/local/share/lightdm/lightdm.conf.d
[+0.12s] DEBUG: Loading configuration dirs from /etc/xdg/lightdm/lightdm.conf.d
[+0.12s] DEBUG: Loading configuration from /etc/lightdm/lightdm.conf
[+0.12s] DEBUG: Using D-Bus name org.freedesktop.DisplayManager
[+0.12s] DEBUG: Registered seat module xlocal
[+0.12s] DEBUG: Registered seat module xremote
[+0.12s] DEBUG: Registered seat module unity
[+0.12s] DEBUG: Monitoring logind for seats
[+0.12s] DEBUG: New seat added from logind: seat0
[+0.12s] DEBUG: Seat seat0: Loading properties from config section Seat:*
[+0.12s] DEBUG: Seat seat0: Starting
```

lightdm.log

```
[+0.12s] DEBUG: Seat seat0: Creating greeter session
[+0.12s] DEBUG: Seat seat0: Creating display server of type x
[+2.47s] DEBUG: Seat seat0: Plymouth is running on VT 1, but this is less than
the configured minimum of 7 so not replacing it
[+2.47s] DEBUG: Quitting Plymouth
[+2.77s] DEBUG: Using VT 7
[+2.77s] DEBUG: Seat seat0: Starting local X display on VT 7
[+2.77s] DEBUG: DisplayServer x-0: Logging to /var/log/lightdm/x-0.log
[+2.77s] DEBUG: DisplayServer x-0: Writing X server authority to
/var/run/lightdm/root/:0
[+2.77s] DEBUG: DisplayServer x-0: Launching X Server
[+2.77s] DEBUG: Launching process 944: /usr/bin/X -core :0 -seat seat0 -auth
/var/run/lightdm/root/:0 -nolisten tcp vt7 -novtswitch
[+2.77s] DEBUG: DisplayServer x-0: Waiting for ready signal from X server :0
[+2.77s] DEBUG: Acquired bus name org.freedesktop.DisplayManager
[+2.77s] DEBUG: Registering seat with bus path
/org/freedesktop/DisplayManager/Seat0
[+2.81s] DEBUG: Loading users from org.freedesktop.Accounts
[+2.81s] DEBUG: User /org/freedesktop/Accounts/User1000 added
[+3.69s] DEBUG: Got signal 10 from process 944
[+3.69s] DEBUG: DisplayServer x-0: Got signal from X server :0
[+3.69s] DEBUG: DisplayServer x-0: Connecting to XServer :0
[+3.69s] DEBUG: Seat seat0: Display server ready, starting session
authentication
[+3.69s] DEBUG: Session pid=972: Started with service 'lightdm-greeter',
username 'lightdm'
[+3.82s] DEBUG: Session pid=972: Authentication complete with return value 0:
Success
[+3.82s] DEBUG: Seat seat0: Session authenticated, running command
[+3.82s] DEBUG: Session pid=972: Running command
/usr/lib/lightdm/lightdm-greeter-session /usr/sbin/kylin-greeter
[+3.82s] DEBUG: Creating shared data directory /var/lib/lightdm-data/lightdm
[+3.82s] DEBUG: Session pid=972: Logging to /var/log/lightdm/x-0-greeter.log
[+4.21s] DEBUG: Activating VT 7
[+4.21s] DEBUG: Activating login1 session c1
[+4.21s] DEBUG: Seat seat0 changes active session to c1
[+4.21s] DEBUG: Session c1 is already active
[+5.98s] DEBUG: Session pid=972: Greeter connected version=1.18.1
resettable=false
[+7.98s] DEBUG: Session pid=972: Greeter start authentication for chenzhuup
[+7.98s] DEBUG: Session pid=1322: Started with service 'lightdm', username
'chenzhuup'
[+7.99s] DEBUG: Session pid=1322: Got 1 message(s) from PAM
[+7.99s] DEBUG: Session pid=972: Prompt greeter with 1 message(s)
[+137.24s] DEBUG: Session pid=972: Terminated with signal 1
[+137.24s] DEBUG: Seat seat0: Session stopped
[+137.24s] DEBUG: Seat seat0: Stopping; failed to start a greeter
[+137.24s] DEBUG: Seat seat0: Stopping
[+137.24s] DEBUG: Seat seat0: Stopping display server
[+137.24s] DEBUG: Sending signal 15 to process 944
[+137.24s] DEBUG: Seat seat0: Stopping session
[+137.24s] DEBUG: Session pid=1322: Sending SIGTERM
[+137.24s] DEBUG: Session pid=1322: Terminated with signal 15
[+137.24s] DEBUG: Session: Failed during authentication
[+137.24s] DEBUG: Seat seat0: Session stopped
[+137.25s] DEBUG: Got signal 15 from process 1
```

lightdm.log

```
[+137.25s] DEBUG: Caught Terminated signal, shutting down
[+137.25s] DEBUG: Stopping display manager
[+137.42s] DEBUG: Process 944 exited with return value 0
[+137.42s] DEBUG: DisplayServer x-0: X server stopped
[+137.42s] DEBUG: Releasing VT 7
[+137.42s] DEBUG: DisplayServer x-0: Removing X server authority
/var/run/lightdm/root/:0
[+137.42s] DEBUG: Seat seat0: Display server stopped
[+137.42s] DEBUG: Seat seat0: Stopped
[+137.42s] DEBUG: Display manager stopped
[+137.42s] DEBUG: Stopping daemon
[+137.42s] DEBUG: Exiting with return value 0
[+0.00s] DEBUG: Logging to /var/log/lightdm/lightdm.log
[+0.03s] DEBUG: Starting Light Display Manager 1.18.1, UID=0 PID=830
[+0.03s] DEBUG: Loading configuration dirs from
/usr/share/lightdm/lightdm.conf.d
[+0.03s] DEBUG: Loading configuration from
/usr/share/lightdm/lightdm.conf.d/50-disable-log-backup.conf
[+0.03s] DEBUG: Loading configuration from
/usr/share/lightdm/lightdm.conf.d/50-greeter-wrapper.conf
[+0.03s] DEBUG: Loading configuration from
/usr/share/lightdm/lightdm.conf.d/50-guest-wrapper.conf
[+0.03s] DEBUG: Loading configuration from
/usr/share/lightdm/lightdm.conf.d/50-ubuntu.conf
[+0.03s] DEBUG: Loading configuration from
/usr/share/lightdm/lightdm.conf.d/50-unity-greeter.conf
[+0.03s] DEBUG: Loading configuration from
/usr/share/lightdm/lightdm.conf.d/50-xserver-command.conf
[+0.03s] DEBUG: Loading configuration from
/usr/share/lightdm/lightdm.conf.d/60-lightdm-gtk-greeter.conf
[+0.03s] DEBUG: Loading configuration from
/usr/share/lightdm/lightdm.conf.d/95-kylin-greeter.conf
[+0.03s] DEBUG: Loading configuration dirs from
/usr/local/share/lightdm/lightdm.conf.d
[+0.03s] DEBUG: Loading configuration dirs from /etc/xdg/lightdm/lightdm.conf.d
[+0.03s] DEBUG: Loading configuration from /etc/lightdm/lightdm.conf
[+0.03s] DEBUG: Using D-Bus name org.freedesktop.DisplayManager
[+0.03s] DEBUG: Registered seat module xlocal
[+0.03s] DEBUG: Registered seat module xremote
[+0.03s] DEBUG: Registered seat module unity
[+0.03s] DEBUG: Monitoring logind for seats
[+0.03s] DEBUG: New seat added from logind: seat0
[+0.03s] DEBUG: Seat seat0: Loading properties from config section Seat:*
[+0.03s] DEBUG: Seat seat0: Starting
[+0.03s] DEBUG: Seat seat0: Creating greeter session
[+0.03s] DEBUG: Seat seat0: Creating display server of type x
[+2.38s] DEBUG: Seat seat0: Plymouth is running on VT 1, but this is less than
the configured minimum of 7 so not replacing it
[+2.38s] DEBUG: Quitting Plymouth
[+2.73s] DEBUG: Using VT 7
[+2.73s] DEBUG: Seat seat0: Starting local X display on VT 7
[+2.73s] DEBUG: DisplayServer x-0: Logging to /var/log/lightdm/x-0.log
[+2.73s] DEBUG: DisplayServer x-0: Writing X server authority to
/var/run/lightdm/root/:0
[+2.73s] DEBUG: DisplayServer x-0: Launching X Server
[+2.73s] DEBUG: Launching process 936: /usr/bin/X -core :0 -seat seat0 -auth
```

```

                                lightdm.log
/var/run/lightdm/root/:0 -nolisten tcp vt7 -novtswitch
[+2.73s] DEBUG: DisplayServer x-0: Waiting for ready signal from X server :0
[+2.73s] DEBUG: Acquired bus name org.freedesktop.DisplayManager
[+2.73s] DEBUG: Registering seat with bus path
/org/freedesktop/DisplayManager/Seat0
[+2.76s] DEBUG: Loading users from org.freedesktop.Accounts
[+2.76s] DEBUG: User /org/freedesktop/Accounts/User1000 added
[+4.22s] DEBUG: Got signal 10 from process 936
[+4.22s] DEBUG: DisplayServer x-0: Got signal from X server :0
[+4.22s] DEBUG: DisplayServer x-0: Connecting to XServer :0
[+4.22s] DEBUG: Seat seat0: Display server ready, starting session
authentication
[+4.22s] DEBUG: Session pid=1046: Started with service 'lightdm-greeter',
username 'lightdm'
[+4.26s] DEBUG: Session pid=1046: Authentication complete with return value 0:
Success
[+4.26s] DEBUG: Seat seat0: Session authenticated, running command
[+4.26s] DEBUG: Session pid=1046: Running command
/usr/lib/lightdm/lightdm-greeter-session /usr/sbin/kylin-greeter
[+4.26s] DEBUG: Creating shared data directory /var/lib/lightdm-data/lightdm
[+4.26s] DEBUG: Session pid=1046: Logging to /var/log/lightdm/x-0-greeter.log
[+4.60s] DEBUG: Activating VT 7
[+4.60s] DEBUG: Activating login1 session c1
[+4.60s] DEBUG: Seat seat0 changes active session to c1
[+4.60s] DEBUG: Session c1 is already active
[+6.20s] DEBUG: Session pid=1046: Greeter connected version=1.18.1
resettable=false
[+8.41s] DEBUG: Session pid=1046: Greeter start authentication for chenzhuup
[+8.41s] DEBUG: Session pid=1321: Started with service 'lightdm', username
'chenzhuup'
[+8.41s] DEBUG: Session pid=1321: Got 1 message(s) from PAM
[+8.41s] DEBUG: Session pid=1046: Prompt greeter with 1 message(s)
[+19.56s] DEBUG: Session pid=1046: Greeter start authentication for chenzhuup
[+19.56s] DEBUG: Session pid=1321: Sending SIGTERM
[+19.56s] DEBUG: Session pid=1366: Started with service 'lightdm', username
'chenzhuup'
[+19.56s] DEBUG: Session pid=1321: Terminated with signal 15
[+19.56s] DEBUG: Session: Failed during authentication
[+19.56s] DEBUG: Seat seat0: Session stopped
[+19.56s] DEBUG: Session pid=1366: Got 1 message(s) from PAM
[+19.56s] DEBUG: Session pid=1046: Prompt greeter with 1 message(s)
[+148.66s] DEBUG: Got signal 15 from process 1
[+148.66s] DEBUG: Caught Terminated signal, shutting down
[+148.66s] DEBUG: Stopping display manager
[+148.66s] DEBUG: Seat seat0: Stopping
[+148.66s] DEBUG: Seat seat0: Stopping display server
[+148.66s] DEBUG: Sending signal 15 to process 936
[+148.66s] DEBUG: Seat seat0: Stopping session
[+148.66s] DEBUG: Session pid=1046: Sending SIGTERM
[+148.66s] DEBUG: Seat seat0: Stopping session
[+148.66s] DEBUG: Session pid=1366: Sending SIGTERM
[+148.66s] DEBUG: Session pid=1366: Terminated with signal 15
[+148.66s] DEBUG: Session: Failed during authentication
[+148.66s] DEBUG: Seat seat0: Session stopped
[+148.72s] DEBUG: Session pid=1046: Greeter closed communication channel
[+148.72s] DEBUG: Session pid=1046: Terminated with signal 1

```

lightdm.log

```
[+148.72s] DEBUG: Seat seat0: Session stopped
[+148.85s] DEBUG: Process 936 exited with return value 0
[+148.85s] DEBUG: DisplayServer x-0: X server stopped
[+148.85s] DEBUG: Releasing VT 7
[+148.85s] DEBUG: DisplayServer x-0: Removing X server authority
/var/run/lightdm/root/:0
[+148.85s] DEBUG: Seat seat0: Display server stopped
[+148.85s] DEBUG: Seat seat0: Stopped
[+148.85s] DEBUG: Display manager stopped
[+148.85s] DEBUG: Stopping daemon
[+148.85s] DEBUG: Exiting with return value 0
[+0.06s] DEBUG: Logging to /var/log/lightdm/lightdm.log
[+0.13s] DEBUG: Starting Light Display Manager 1.18.1, UID=0 PID=833
[+0.13s] DEBUG: Loading configuration dirs from
/usr/share/lightdm/lightdm.conf.d
[+0.13s] DEBUG: Loading configuration from
/usr/share/lightdm/lightdm.conf.d/50-disable-log-backup.conf
[+0.13s] DEBUG: Loading configuration from
/usr/share/lightdm/lightdm.conf.d/50-greeter-wrapper.conf
[+0.13s] DEBUG: Loading configuration from
/usr/share/lightdm/lightdm.conf.d/50-guest-wrapper.conf
[+0.13s] DEBUG: Loading configuration from
/usr/share/lightdm/lightdm.conf.d/50-ubuntu.conf
[+0.13s] DEBUG: Loading configuration from
/usr/share/lightdm/lightdm.conf.d/50-unity-greeter.conf
[+0.13s] DEBUG: Loading configuration from
/usr/share/lightdm/lightdm.conf.d/50-xserver-command.conf
[+0.13s] DEBUG: Loading configuration from
/usr/share/lightdm/lightdm.conf.d/60-lightdm-gtk-greeter.conf
[+0.13s] DEBUG: Loading configuration from
/usr/share/lightdm/lightdm.conf.d/95-kylin-greeter.conf
[+0.13s] DEBUG: Loading configuration dirs from
/usr/local/share/lightdm/lightdm.conf.d
[+0.13s] DEBUG: Loading configuration dirs from /etc/xdg/lightdm/lightdm.conf.d
[+0.13s] DEBUG: Loading configuration from /etc/lightdm/lightdm.conf
[+0.13s] DEBUG: Using D-Bus name org.freedesktop.DisplayManager
[+0.13s] DEBUG: Registered seat module xlocal
[+0.13s] DEBUG: Registered seat module xremote
[+0.13s] DEBUG: Registered seat module unity
[+0.13s] DEBUG: Monitoring logind for seats
[+0.13s] DEBUG: New seat added from logind: seat0
[+0.13s] DEBUG: Seat seat0: Loading properties from config section Seat:*
[+0.13s] DEBUG: Seat seat0: Starting
[+0.13s] DEBUG: Seat seat0: Creating greeter session
[+0.13s] DEBUG: Seat seat0: Creating display server of type x
[+2.29s] DEBUG: Seat seat0: Plymouth is running on VT 1, but this is less than
the configured minimum of 7 so not replacing it
[+2.29s] DEBUG: Quitting Plymouth
[+2.64s] DEBUG: Using VT 7
[+2.64s] DEBUG: Seat seat0: Starting local X display on VT 7
[+2.64s] DEBUG: DisplayServer x-0: Logging to /var/log/lightdm/x-0.log
[+2.64s] DEBUG: DisplayServer x-0: Writing X server authority to
/var/run/lightdm/root/:0
[+2.64s] DEBUG: DisplayServer x-0: Launching X Server
[+2.64s] DEBUG: Launching process 938: /usr/bin/X -core :0 -seat seat0 -auth
/var/run/lightdm/root/:0 -nolisten tcp vt7 -novtswitch
```

lightdm.log

```
[+2.64s] DEBUG: DisplayServer x-0: Waiting for ready signal from X server :0
[+2.64s] DEBUG: Acquired bus name org.freedesktop.DisplayManager
[+2.64s] DEBUG: Registering seat with bus path
/org/freedesktop/DisplayManager/Seat0
[+2.64s] DEBUG: Starting XDMCP server on UDP/IP port 177
[+2.68s] DEBUG: Loading users from org.freedesktop.Accounts
[+2.68s] DEBUG: User /org/freedesktop/Accounts/User1000 added
[+4.03s] DEBUG: Got signal 10 from process 938
[+4.03s] DEBUG: DisplayServer x-0: Got signal from X server :0
[+4.03s] DEBUG: DisplayServer x-0: Connecting to XServer :0
[+4.03s] DEBUG: Seat seat0: Display server ready, starting session
authentication
[+4.03s] DEBUG: Session pid=1011: Started with service 'lightdm-greeter',
username 'lightdm'
[+4.07s] DEBUG: Session pid=1011: Authentication complete with return value 0:
Success
[+4.07s] DEBUG: Seat seat0: Session authenticated, running command
[+4.07s] DEBUG: Session pid=1011: Running command
/usr/lib/lightdm/lightdm-greeter-session /usr/sbin/kylin-greeter
[+4.07s] DEBUG: Creating shared data directory /var/lib/lightdm-data/lightdm
[+4.07s] DEBUG: Session pid=1011: Logging to /var/log/lightdm/x-0-greeter.log
[+4.45s] DEBUG: Activating VT 7
[+4.45s] DEBUG: Activating login1 session c1
[+4.45s] DEBUG: Seat seat0 changes active session to c1
[+4.45s] DEBUG: Session c1 is already active
[+6.08s] DEBUG: Session pid=1011: Greeter connected version=1.18.1
resettable=false
[+8.14s] DEBUG: Session pid=1011: Greeter start authentication for chenzhuup
[+8.14s] DEBUG: Session pid=1158: Started with service 'lightdm', username
'chenzhuup'
[+8.14s] DEBUG: Session pid=1158: Got 1 message(s) from PAM
[+8.14s] DEBUG: Session pid=1011: Prompt greeter with 1 message(s)
[+17.83s] DEBUG: Got BroadcastQuery(authentication_names=[]) from
192.168.10.87:56248
[+17.83s] DEBUG: Send Willing(authentication_name='' hostname='' status='') to
192.168.10.87:56248
[+17.83s] DEBUG: Got BroadcastQuery(authentication_names=[]) from
192.168.10.87:56248
[+17.83s] DEBUG: Send Willing(authentication_name='' hostname='' status='') to
192.168.10.87:56248
[+17.85s] DEBUG: Got BroadcastQuery(authentication_names=[]) from
192.168.10.87:56248
[+17.85s] DEBUG: Send Willing(authentication_name='' hostname='' status='') to
192.168.10.87:56248
[+17.85s] DEBUG: Got BroadcastQuery(authentication_names=[]) from
192.168.10.87:56248
[+17.85s] DEBUG: Send Willing(authentication_name='' hostname='' status='') to
192.168.10.87:56248
[+20.60s] DEBUG: Got Query(authentication_names=[]) from 192.168.10.87:56249
[+20.60s] DEBUG: Send Willing(authentication_name='' hostname='' status='') to
192.168.10.87:56249
[+21.27s] DEBUG: Got Request(display_number=1 connections=[192.168.10.87
192.168.154.1 192.168.2.1 fe80::d55b:74a0:b2ad:43e0 fe80::b8fc:f468:ea69:4d73]
authentication_name='', authentication_data=
authorization_names=['MIT-MAGIC-COOKIE-1', 'XDM-AUTHORIZATION-1',
'XC-QUERY-SECURITY-1'] manufacturer_display_id='') from 192.168.10.87:56249
```


lightdm.log

```
[+21.27s] DEBUG: Send Accept(session_id=18402 authentication_name='',
authentication_data= authorization_name='MIT-MAGIC-COOKIE-1'
authorization_data=66DF3B1E40BEEFD3504DB6DF654474F4) to 192.168.10.87:56249
[+21.28s] DEBUG: Got Manage(session_id=18402 display_number=1
display_class='Xmanager') from 192.168.10.87:56249
[+21.28s] DEBUG: Seat (null): Loading properties from config section Seat:*
[+21.28s] DEBUG: Seat (null): Starting
[+21.28s] DEBUG: Seat (null): Creating greeter session
[+21.28s] DEBUG: Seat (null): Creating display server of type x
[+21.28s] DEBUG: DisplayServer x-192.168.10.87-1: Connecting to XServer
192.168.10.87:1
[+21.28s] DEBUG: Seat (null): Display server ready, starting session
authentication
[+21.28s] DEBUG: Session: Not setting XDG_VTNR
[+21.28s] DEBUG: Session pid=1371: Started with service 'lightdm-greeter',
username 'lightdm'
[+21.28s] DEBUG: Registering seat with bus path
/org/freedesktop/DisplayManager/Seat1
[+21.28s] DEBUG: Session pid=1371: Authentication complete with return value 0:
Success
[+21.28s] DEBUG: Seat (null): Session authenticated, running command
[+21.28s] DEBUG: Session pid=1371: Not setting XDG_VTNR
[+21.28s] DEBUG: Session pid=1371: Running command
/usr/lib/lightdm/lightdm-greeter-session /usr/sbin/kylin-greeter
[+21.28s] DEBUG: Session pid=1371: Logging to
/var/log/lightdm/x-192.168.10.87-1-greeter.log
[+21.31s] DEBUG: Activating login1 session c2
[+21.31s] WARNING: Error activating login1 session:
GDBus.Error:org.freedesktop.DBus.Error.NotSupported: Operation not supported
[+22.11s] DEBUG: Session pid=1371: Greeter connected version=1.18.1
resettable=false
[+22.23s] DEBUG: Session pid=1371: Greeter start authentication for chenzhuup
[+22.23s] DEBUG: Session: Not setting XDG_VTNR
[+22.23s] DEBUG: Session pid=1419: Started with service 'lightdm', username
'chenzhuup'
[+22.23s] DEBUG: Session pid=1419: Got 1 message(s) from PAM
[+22.23s] DEBUG: Session pid=1371: Prompt greeter with 1 message(s)
[+36.41s] DEBUG: Session pid=1371: Continue authentication
[+36.41s] DEBUG: Session pid=1419: Authentication complete with return value 0:
Success
[+36.41s] DEBUG: Session pid=1371: Authenticate result for user chenzhuup:
Success
[+36.41s] DEBUG: Session pid=1371: User chenzhuup authorized
[+36.45s] DEBUG: Session pid=1371: Greeter requests session ubuntu
[+36.45s] DEBUG: Seat (null): Stopping greeter; display server will be re-used
for user session
[+36.45s] DEBUG: Session pid=1371: Sending SIGTERM
[+36.53s] DEBUG: Session pid=1371: Exited with return value 0
[+36.53s] DEBUG: Seat (null): Session stopped
[+36.53s] DEBUG: Seat (null): Greeter stopped, running session
[+36.53s] DEBUG: Registering session with bus path
/org/freedesktop/DisplayManager/Session0
[+36.53s] DEBUG: Session pid=1419: Not setting XDG_VTNR
[+36.53s] DEBUG: Session pid=1419: Running command /usr/sbin/lightdm-session
gnome-session --session=ubuntu
[+36.53s] DEBUG: Session pid=1419: Logging to .xsession-errors
```

lightdm.log

```
[+36.63s] DEBUG: Activating login1 session c3
[+36.64s] WARNING: Error activating login1 session:
GDBus.Error:org.freedesktop.DBus.Error.NotSupported: Operation not supported
[+45.69s] DEBUG: Session pid=1419: Exited with return value 0
[+45.69s] DEBUG: Seat (null): Session stopped
[+45.69s] DEBUG: Seat (null): Stopping display server, no sessions require it
[+45.69s] DEBUG: Seat (null): Display server stopped
[+45.69s] DEBUG: Seat (null): Active display server stopped, starting greeter
[+45.69s] DEBUG: Seat (null): Stopping; failed to start a greeter
[+45.69s] DEBUG: Seat (null): Stopping
[+45.69s] DEBUG: Seat (null): Stopped
[+93.08s] DEBUG: Got BroadcastQuery(authentication_names=[]) from
192.168.10.73:61830
[+93.08s] DEBUG: Send Willing(authentication_name='' hostname='' status='') to
192.168.10.73:61830
[+93.08s] DEBUG: Got BroadcastQuery(authentication_names=[]) from
192.168.10.73:61830
[+93.08s] DEBUG: Send Willing(authentication_name='' hostname='' status='') to
192.168.10.73:61830
[+93.08s] DEBUG: Got BroadcastQuery(authentication_names=[]) from
192.168.10.73:61830
[+93.08s] DEBUG: Send Willing(authentication_name='' hostname='' status='') to
192.168.10.73:61830
[+93.08s] DEBUG: Got BroadcastQuery(authentication_names=[]) from
192.168.10.73:61830
[+93.08s] DEBUG: Send Willing(authentication_name='' hostname='' status='') to
192.168.10.73:61830
[+93.08s] DEBUG: Got BroadcastQuery(authentication_names=[]) from
192.168.10.73:61830
[+93.08s] DEBUG: Send Willing(authentication_name='' hostname='' status='') to
192.168.10.73:61830
[+263.56s] DEBUG: Session pid=1011: Continue authentication
[+263.60s] DEBUG: Session pid=1158: Authentication complete with return value 0:
Success
[+263.60s] DEBUG: Session pid=1011: Authenticate result for user chenzhuup:
Success
[+263.60s] DEBUG: Session pid=1011: User chenzhuup authorized
[+263.60s] DEBUG: Session pid=1011: Greeter requests session ubuntu
[+263.60s] DEBUG: Seat seat0: Stopping greeter; display server will be re-used
for user session
[+263.60s] DEBUG: Session pid=1011: Sending SIGTERM
[+263.66s] DEBUG: Session pid=1011: Greeter closed communication channel
[+263.66s] DEBUG: Session pid=1011: Exited with return value 0
[+263.66s] DEBUG: Seat seat0: Session stopped
[+263.66s] DEBUG: Seat seat0: Greeter stopped, running session
[+263.66s] DEBUG: Registering session with bus path
/org/freedesktop/DisplayManager/Session1
[+263.66s] DEBUG: Session pid=1158: Running command /usr/sbin/lightdm-session
gnome-session --session=ubuntu
[+263.66s] DEBUG: Creating shared data directory /var/lib/lightdm-data/chenzhuup
[+263.66s] DEBUG: Session pid=1158: Logging to .xsession-errors
[+263.70s] DEBUG: Activating VT 7
[+263.70s] DEBUG: Activating login1 session c4
[+263.70s] DEBUG: Seat seat0 changes active session to c4
[+263.70s] DEBUG: Session c4 is already active
```