

注：-----

使用 ruijieclient 连接的时候出现 段错误。

```
[liveuser@localhost mentohust-0.3.1]$ ruijieclient
```

ruijieclient - a powerful ruijie Supplicant for UNIX, base on mystar.  
Copyright Gong Han, Chen Tingjun, Microcai, sthots, and others

Please see/send bug report to  
<http://code.google.com/p/ruijieclient/issues/list>  
or mail to [gong@fedoraproject.org](mailto:gong@fedoraproject.org)

```
>> Searching for server...
Segmentation fault
[liveuser@localhost mentohust-0.3.1]$
```

-----使用 mentohust 的时候出现下面的错误 -----

```
[liveuser@localhost ~]$ cd /home/liveuser/Desktop/mentohust-0.3.1
[liveuser@localhost mentohust-0.3.1]$ ./configure
checking build system type... i686-pc-linux-gnu
checking host system type... i686-pc-linux-gnu
checking for a BSD-compatible install... /usr/bin/install -c
checking whether build environment is sane... yes
checking for a thread-safe mkdir -p... /bin/mkdir -p
checking for gawk... gawk
checking whether make sets $(MAKE)... yes
checking for gcc... no
checking for cc... no
checking for cl.exe... no
configure: error: in `/home/liveuser/Desktop/mentohust-0.3.1':
configure: error: no acceptable C compiler found in $PATH
See `config.log' for more details.
[liveuser@localhost mentohust-0.3.1]$
```

-----最后决定用 myxrgsu -----

-----若对 ruijieclient 和 mentohust 有偏爱,可以在用 myxrgsu 联 网之后  
安装依赖, 再使用-----

#####

#####

以下是认证过程

#####

————— 第一阶段，拷贝文件 —————

代码：

%su

# cp /path/to/the/libpcap.so.0.6.2 /lib

# cp /path/to/the/libstdc++.so.5 /lib

# cp /path/to/the/myxrgsu /bin

————— 第二阶段

在 network connection 里面的设置：

1 connection name 改成： eth0

2 connect automatically： 打勾

3 method 改成： manual

4 Address 填写“IP 地址”，netmask，填写“255.255.255.0”（我的是这个，有些不是，自己从 windows 查），Gateway 填写“网关”

5 DNS servers：这个填写你的 DNS 服务器，比如我的是“2x0.3x.0.14”；  
search domains：搜索域，这个填写自己的搜索域，比如我的是  
“university.edu.cn”

Require IPV4 addressing for this connection to complete：打勾

最后 apply。

—————

---

### 第三阶段，认证\_（示例）

---

代码:

```
[root@localhost liveuser]# myxrgsu -d
```

XRGSupplicant 1.1.1

Ruijie Network Copyright 2004-2005

Please input your user name:帐号

Please input your password:密码

Use default auth parameter, 0-Use 1-UnUse(Default: 0):1

Please input Eap-start Timeout(Default: 30s):

please input Eap-response Timeout(Default: 30s):

please input Eap-packet resend Time(Default: 3):

Use Red-Giant private MAC? 1-Use, 0-UnUse(Default: 1):

Searching server...

Connecting server...

Authenticating...

Authenticate SUCCESSFULLY!

eth0: no process killed

Searching server...

Connecting server...

Authenticating...

Authenticate SUCCESSFULLY!

Please input 'unauth' to LogOff:

IP Address is changed, Reauth Now!

Searching server...

Connecting server...

Authenticating...

Authenticate SUCCESSFULLY!

Please input 'unauth' to LogOff:

---

-OR-

---

[root@localhost liveuser]# myxrgsu -d

XRGSuplicant 1.1.1

Ruijie Network CopyRight 2004-2005

Please input your user name:帐号

Please input your password:密码

Use default auth parameter, 0-Use 1-UnUse(Default: 0):

Searching server...

Connecting server...

Authenticating...

Authenticate SUCCESSFULLY!

eth0: no process killed

Searching server...

Connecting server...

Authenticating...

Authenticate SUCCESSFULLY!

Please input 'unauth' to LogOff:Please input 'unauth' to LogOff:

Editing eth0

Connection name: eth0

☒ Connect automatically

Wired 802.1x Security IPv4 Settings IPv6 Settings

Method: Manual

**Addresses**

Address	Netmask	Gateway
211.3.10.4	255.255.255.0	211.3.10.1

DNS servers: 211.3.10.4

Search domains: .edu.cn

DHCP client ID:

☒ Require IPv4 addressing for this connection to complete

Routes...

☒ Available to all users

Cancel Apply...

